



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro server barebone SYS-F619P2-RC1, 4U,
Dual Socket P (LGA 3647), 12 DIMMs, 1 PCI-E 3.0
x16 (LP) 1 PCI-E 3.0 x16 (for SIOM); 6 Hot-

Šifra: 83956

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 1.604.111 rsd.

System Type:	Server
System Form Factor:	4U Rackmount
Quantity of Installed Server Nodes:	8
Quantity of Supported Server Nodes:	8
Supported CPUs:	Xeon Scalable Processors
Max. CPU Bus Clock Rate:	10.4 GTsec
CPU Socket Standard:	Socket 3647
CPU Maximum Quantity Supports:	2 (per node)
Chipset:	Intel C621
Features:	Supports 14 nm Processors
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2400MHz(PC3-19200) 2133MHz(PC4-17000) 2666MHz(PC4-21300) 2933MHz(PC4-23400)
Memory Speed:	2933MHz(PC4-23400)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	3 TB (per node)
Memory Slot Total Quantity:	12 (per node)
Memory Features:	Storage Controller: Registered LSI 3108 Supports: Level 0, Level 1, Level 5, Level 50, Level 6, Level 10, Level 1E SAS 3 (6) Remote Management Controller: Gigabit Ethernet (1 x RJ-45)
Plug-in-card:	Storage Controller: PCI Express 3.0 x4 (1 x M.2 (Key M))
Integrated:	
Maximum Fans Supported Quantity:	24 count
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Number of 2.5-inch Hot-Swap Drive Bays:	6
PCI Express 3.0 x16:	2
USB 3.0:	2 (USB 3.0 (type A))
VGA:	1 (15-pin DB)
Management Port:	1 (RJ-45)
Power Device Type:	Power Supply - redundant
Power Device Location:	Internal