



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-6028TR-D72R, 2U,
Dual SKT, Intel C612 Chipset, SATA-III, SAS-2, LSI
2208, 1280W Redundant PSU, IPMI (SYS-6028TR

Šifra: 84011

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 365.492 rsd.

System Type:	Server
System Form Factor:	Rack-Mountable
Quantity of Installed Server Nodes:	2
Quantity of Supported Server Nodes:	2
Supported CPUs:	Xeon Processor E5-2600v3 Series Xeon Processor E5-2600v4 Series
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Socket Standard:	Socket 2011-3
CPU Maximum Quantity Supports:	2 (per node)
Chipset:	Intel C612
Quantity of Mainboards Supported:	2
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800)
Memory Speed:	1866MHz(PC4-14900)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	1 TB (per node)
Memory Slot Total Quantity:	8 (per node)
Memory Features:	Registered Load Reduced
Integrated:	Storage Controller: Supports: Level 0, Level 1, Level 10, Level 5 SATA III-600 (16) Remote Management Controller: Gigabit Ethernet (1 x RJ-45) RAID Controller: LSI 2208 Supports: Level 0, Level 1, Level 10, Level 5, Level 50, Level 6 SAS (12)
Plug-in-card:	
Fans Quantity:	4 x 80mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Video Memory Type:	Video Controller Memory
Networking Form Factor:	Integrated
LAN Chipset:	Intel i350
LAN:	Gigabit Ethernet
Number of 3.5-inch Hot-Swap Drive Bays:	12
Number of Blade Server Bays:	4
PCI Express 3.0 x8:	3
LAN:	Gigabit Ethernet