



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SSG-2029P-E1CR24L, 24
Hot-swap 2.5" SAS3SATA3, 1200W redundant (SSG-2029P-E1CR24L)

Šifra: 84041

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 350.736 rsd.

System Type:	Server
System Form Factor:	Rack-Mountable
Max. CPU Bus Clock Rate:	10.4 GTsec
CPU Socket Standard:	Socket 3647
CPU Maximum Quantity Supports:	2
Chipset:	Intel C624
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200)
Memory Speed:	2666MHz(PC4-21300)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB
Memory Slot Total Quantity:	16
Memory Features:	Registered Load Reduced
Plug-in-card:	RAID Controller: LSI 3108 Supports: Level 0, Level 1, Level 5, Level 50, Level 6, Level 10, Level 60 SAS 3 ()
Integrated:	Storage Controller: Supports: Level 0, Level 1, Level 10, Level 5 SATA III-600 ()
Fans Quantity:	3 x 80mm
Networking Form Factor:	Integrated
LAN Chipset:	Intel X557
LAN:	10G Ethernet
Number of 3.5-inch Hot-Swap Drive Bays:	24
PCI Express 3.0 x16:	3
PCI Express 3.0 x8:	4
LAN:	10G Ethernet
Management Port:	1 (RJ-45)
USB3.0:	4 (USB 3.0 (type A))
USB:	1 (4-pin USB (type A))
VGA:	1 (15-pin DB)
Power Device Type:	Power Supply - redundant
Power Device Location:	Internal