



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro server SSG-6028R-E1CR12N, 2U, 2 x R3 (LGA 2011), E5-2600v4 CPU, 24x 288-pin DDR4 DIMM slots, Quad 10GBase-T LAN, 12x 3.5" Hot-sw

Šifra: 84052

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO

Cena: 346.427 rsd.



| | |
|---|---|
| System Type: | Server Barebone |
| System Form Factor: | Rack-Mountable |
| Supported CPUs: | Xeon Processor E5-2600v3 Series Xeon Processor E5-2600v4 Series |
| Max. CPU Bus Clock Rate: | 9.6 GTsec |
| CPU Socket Standard: | Socket 2011-3 |
| CPU Maximum Quantity Supports: | 2 |
| Chipset: | Intel C612 |
| Quantity of Mainboards Supported: | 1 |
| Memory Type: | DDR4 SDRAM |
| Memory Form Factor: | DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800) |
| Memory Speed: | 1866MHz(PC4-14900) |
| Provides Error Checking Method: | ECC |
| Maximum Installable System Memory Storage Capacity: | 3 TB |
| Memory Slot Total Quantity: | 24 |
| Memory Features: | Registered Load Reduced Storage Controller: Supports: Level 0, Level 1, Level 10, Level 5 SATA III-600 (10) Remote Management Controller: Gigabit Ethernet (1 x RJ-45) |
| Integrated: | Storage Controller: LSI 3108 Supports: Level 0, Level 1, Level 10, Level 5, Level 50, Level 6, Level 60 SAS |
| Plug-in-card: | |
| Fans Quantity: | 3 x 80mm |
| Video Controller Form Factor: | Integrated |
| Video Chipset: | Aspeed AST2400 |
| Video Memory Type: | Video Controller Memory |
| Networking Form Factor: | Integrated |
| LAN Chipset: | Intel X540 |
| LAN: | 10G Ethernet 10 Gigabit Ethernet Gigabit Ethernet |
| Data Link Protocol Supports: | Fast Ethernet |
| Number of 3.5-inch Hot-Swap Drive Bays: | 12 |
| PCI Express 3.0 x16: | 2 |
| PCI Express 3.0 x8: | 3 |
| PCI Express 2.0 x4: | 1 |
| LAN: | 10G Ethernet |