



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SSG-6028R-E1CR16T 2U,
2 x R3 (LGA 2011), 16 x 288-pin DDR4 DIMM, 16x
3.5" Hot-swap drive bays, 2x RJ45 10GBase-T LAN

Šifra: 84054

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 318.353 rsd.

System Type:	Server Barebone
System Form Factor:	Rack-Mountable
Supported CPUs:	Xeon Processor E5-2600v3 Series Xeon Processor E5-2600v4 Series
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Socket Standard:	Socket 2011-3
CPU Maximum Quantity Supports:	2
Chipset:	Intel C612
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800) 1866MHz(PC4-14900)
Memory Speed:	
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB
Memory Slot Total Quantity:	16
Memory Features:	Bridge Controller: Supports: Level 0, Level 1, Level 10, Level 5 SATA III-600 (10) Storage Controller: LSI 3108 Supports: Level 0, Level 1, Level 10, Level 5, Level 50, Level 60 SAS (16) Remote Management Controller: Gigabit Ethernet (1 x RJ-45)
Integrated:	
Fans Quantity:	4 x 80mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Video Memory Type:	Video Controller Memory
Networking Form Factor:	Integrated
LAN Chipset:	Intel x540
LAN:	10G Ethernet 10 Gigabit Ethernet Gigabit Ethernet
Data Link Protocol Supports:	Fast Ethernet
Number of 3.5-inch Hot-Swap Drive Bays:	16
Number of 2.5-inch Hot-Swap Drive Bays:	2
PCI Express 3.0 x16:	1
PCI Express 3.0 x8:	6
LAN:	10G Ethernet
USB3.0:	2 (USB 3.0 (type A))