



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-1029P-WTRT 1U,
2xLGA 3647, TDP 70-165W, Intel C622, 12xDDR4,
10x2.5" Hot-swap, SATA3 (6Gbps); RAID 0, 1, 5,
10,

Šifra: 84129

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 219.789 rsd.

System Type:	Server Barebone
System Form Factor:	Rack-Mountable
Supported CPUs:	Xeon Scalable Processors
Max. CPU Bus Clock Rate:	10.4 GTsec
CPU Socket Standard:	Socket 3647
CPU Maximum Quantity Supports:	2
Chipset:	Intel C622
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200)
Memory Speed:	2666MHz(PC4-21300)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	1.5 TB
Memory Slot Total Quantity:	12
Memory Features:	Registered Storage Controller: Supports: Level 0, Level 1, Level 10, Level 5 SATA III-600 (8) Storage Controller: PCIe 3.0 x4SATA (2) Storage Controller: PCI-Express (1 x M.2)
Integrated:	
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2500
Networking Form Factor:	Integrated
LAN:	10G Ethernet
Number of 2.5-inch Hot-Swap Drive Bays:	10
PCI Express 3.0 x16:	3
PCI Express 3.0 x8:	1
LAN:	10G Ethernet
Management Port:	1 (RJ-45)
USB 3.0:	4 (USB 3.0 (type A))
VGA:	1 (15-pin D-sub)
Power Device Type:	Power Supply - redundant
Power Device Location:	Internal
Input Voltage:	AC 100-140200-240 V