



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

Supermicro SuperServer SYS-2028R-C1R 2U, 2 x R3 (LGA 2011), 16 x 288-pin DDR4 DIMM, 8x2.5" SAS3 HS and 8x2.5" SATA3, 2x1GbE LAN, 1 PCI-E 3

---

Šifra: 84149

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO

**Cena: 249.455 rsd.**



System Type:	Server
System Form Factor:	Rack-Mountable BMC
Built-in Devices:	LSI 3108
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Socket Standard:	Socket 2011
CPU Maximum Quantity Supports:	2
Chipset:	Intel C612
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800)
Memory Speed:	1866MHz(PC4-14900)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB
Memory Slot Total Quantity:	16 Registered
Memory Features:	Load Reduced
Storage Controller Form Factor:	integrated SATA III
Storage Controller Type:	SAS III
RAID Controller Interface Type:	SAS/SATA III Level 0 Level 1 Level 5 Level 50 Level 10
Supports RAID Level:	Level 60
Maximum Fans Supported Quantity:	3 count
Fans Quantity:	3 x 80mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Networking Form Factor:	Integrated
LAN Chipset:	Intel i350
LAN:	Gigabit Ethernet
Number of 5.25-inch External Drive Bays:	1
Number of 2.5-inch Hot-Swap Drive Bays:	16
Number of Slim External Drive Bays:	1
PCI Express 3.0 x16 Slot Quantity:	1