



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-2028R-TXR 2U, 2 x R3 (LGA 2011), 16 x 288-pin DDR4 DIMM, 16x2.5" SAS3 HS, 1x5.25" peripheral drive bay, 2x1GbE

Šifra: 84151

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 255.124 rsd.

System Type:	Server
System Form Factor:	Rack-Mountable
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Socket Standard:	Socket 2011
CPU Maximum Quantity Supports:	2
Chipset:	Intel C612
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800) 1866MHz(PC4-14900)
Memory Speed:	
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB
Memory Slot Total Quantity:	16
Memory Features:	Registered RAID Controller: Load Reduced LSI 3108 Supports: Level 0, Level 1, Level 5, Level 50, Level 6, Level 10, Level 60 SAS 3 (8) Storage Controller: Supports: Level 0, Level 1, Level 10, Level 5
Integrated:	SATA III-600 (8)
Maximum Fans Supported Quantity:	4 count
Fans Quantity:	4 x 80mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Networking Form Factor:	Integrated
LAN Chipset:	Intel i350
LAN:	Gigabit Ethernet
Number of 5.25-inch External Drive Bays:	1
Number of 2.5-inch Hot-Swap Drive Bays:	16
Number of Slim External Drive Bays:	1
PCI Express 3.0 x8:	10
PCI Express 2.0 x4:	1
LAN:	Gigabit Ethernet
Management Port:	1 (RJ-45)
USB3.0:	2 (USB 3.0 (type A))