



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-2028TP-DC1TR 2U,
2xLGA 2011, TDP up to 145W, Intel C612,
16xDDR4, 12x2.5" Hot-swap, Broadcom 3108,
2xPCI-E 3.0 x

Šifra: 84153

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO

Cena: 428.953 rsd.



System Type:	Server
System Form Factor:	Rack-Mountable
Quantity of Installed Server Nodes:	2
Quantity of Supported Server Nodes:	2
Built-in Devices:	LSI 3108 Xeon Processor E5-2600v3 Series
Supported CPUs:	Xeon Processor E5-2600v4 Series
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Socket Standard:	Socket 2011-3
CPU Maximum Quantity Supports:	2 (per node)
Chipset:	Intel C612
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 1600MHz(PC4-12800) 1866MHz(PC4-14900) 2133MHz(PC4-17000)
Memory Speed:	2400MHz(PC4-19200)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB (per node)
Memory Slot Total Quantity:	16 (per node) Registered
Memory Features:	Load Reduced
Storage Controller Form Factor:	integrated RAID
Storage Controller Type:	SATA
RAID Controller Interface Type:	SASATA III SATA Level 1 Level 10 Level 5 Level 50 Level 6
Supports RAID Level:	Level 60
Fans Quantity:	4 x 80mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Video Memory Type:	Video Controller Memory
Networking Form Factor:	Integrated
LAN Chipset:	Intel x540
LAN:	10G Ethernet 10 Gbps Gigabit Ethernet
Data Link Protocol Supports:	Fast Ethernet