



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-2028TP-HC0R-SIOM
2U, 2 x R3 (LGA 2011), 16 x 288-pin DDR4 DIMM,
6x2.5" SASSATA HS, 1 Dedicated IPMI LAN port, 1

Šifra: 84157

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 552.161 rsd.

System Type:	Server
System Form Factor:	Rack-Mountable
Supported CPUs:	Xeon Processor E5-2600v3 Series Xeon Processor E5-2600v4 Series
CPU Socket Standard:	Socket 2011-3
CPU Maximum Quantity Supports:	2
Chipset:	Intel C612
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800)
Memory Speed:	1866MHz(PC4-14900)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB
Memory Slot Total Quantity:	16
Memory Features:	Registered Load Reduced Storage Controller: LSI 3008 Supports: Level 0, Level 1, Level 10
Integrated:	SAS 3 (6)
Fans Quantity:	4 x 80mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Number of 2.5-inch Hot-Swap Drive Bays:	6
PCI Express 3.0 x16:	1
PCI Express 3.0 x8:	1
PCI Express 3.0 x16:	1
Management Port:	1 (RJ-45)
USB3.0:	2 (USB 3.0 (type A))
VGA:	1 (15-pin DB)
Serial:	1
Power Device Type:	Power Supply - redundant
Power Device Location:	Plug-in-module
Input Voltage:	AC 100-240 V
Input Frequency:	5060 Hz