



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-2028TP-HC1R-SIOM
2U, 2 x R3 (LGA 2011), 16 x 288-pin DDR4 DIMM,
6x2.5" HS SASSATA HDD bays, 1 Dedicated IPMI L

Šifra: 84158

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 621.989 rsd.

System Type:	Server
System Form Factor:	Rack-Mountable
Quantity of Installed Server Nodes:	4
Quantity of Supported Server Nodes:	4
Supported CPUs:	Xeon Processor E5-2600v3 Series Xeon Processor E5-2600v4 Series
CPU Socket Standard:	Socket 2011-3
CPU Maximum Quantity Supports:	2 (per node)
Chipset:	Intel C612
Quantity of Mainboards Supported:	4
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800)
Memory Speed:	1866MHz(PC4-14900)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB (per node)
Memory Slot Total Quantity:	16 (per node)
Memory Features:	Registered Load Reduced Storage Controller: LSI 3008 Supports: Level 0, Level 1, Level 10
Plug-in-card:	SAS 3 (6) Storage Controller: SATA III-600 Remote Management Controller:
Integrated:	Gigabit Ethernet (1 x RJ-45)
Fans Quantity:	4 x 80mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Networking Form Factor:	Plug-in-card
LAN:	Gigabit Ethernet
Number of 2.5-inch Hot-Swap Drive Bays:	24
Number of Blade Server Bays:	4
PCI Express 3.0 x16:	1
PCI Express 3.0 x8:	1
USB3.0:	2 (USB 3.0 (type A))
VGA:	1 (15-pin DB)
Serial:	1