



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

Supermicro SuperServer SYS-2028TR-HTR 2U, 2 x R3 (LGA 2011), 8 x 288-pin DDR4 DIMM, 6x2.5" HS SATA3 HDD bays, 2x1GbE LAN, 1x PCI-E 3.0 x16

---

Šifra: 84161

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO

**Cena: 464.863 rsd.**



System Type:	Server
System Form Factor:	Rack-Mountable
	Xeon Processor E5-2600v3 Series
Supported CPUs:	Xeon Processor E5-2600v4 Series
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Socket Standard:	Socket 2011
CPU Maximum Quantity Supports:	2
Chipset:	Intel C612
Quantity of Mainboards Supported:	4
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin
	2133MHz(PC4-17000)
	2400MHz(PC4-19200)
	1600MHz(PC4-12800)
Memory Speed:	1866MHz(PC4-14900)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	512 GB
Memory Slot Total Quantity:	32
	Registered
Memory Features:	Load Reduced
Storage Controller Form Factor:	plug-in-card
	RAID
Storage Controller Type:	SATA III
RAID Controller Interface Type:	SATA III
	Level 0
	Level 1
	Level 10
Supports RAID Level:	Level 5
Fans Quantity:	4 x 80mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Video Memory Type:	Video Controller Memory
Networking Form Factor:	Integrated
LAN:	Gigabit Ethernet
Number of 2.5-inch Hot-Swap Drive Bays:	24
Number of Blade Server Bays:	4
PCI Express 3.0 x16 Slot Quantity:	4
SATA III:	32
SAS:	24