



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-2029P-C1RT 2U,
2xLGA 3647, TDP 70-205W, Intel C622, 16xDDR4,
8x2.5" SAS3 Hot-swap, 8x2.5" SATA3 Hot-swap,
Broad

Šifra: 84165

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO

Cena: 305.754 rsd.



System Type:	Server
System Form Factor:	Rack-Mountable
Supported CPUs:	Xeon Scalable Processors
Max. CPU Bus Clock Rate:	10.4 GTsec
CPU Socket Standard:	Socket 3647
CPU Maximum Quantity Supports:	2
Chipset:	Intel C622
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200)
Memory Speed:	2666MHz(PC4-21300)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB
Memory Slot Total Quantity:	16
Memory Features:	Registered Load Reduced
Plug-in-card:	RAID Controller: LSI 3108 Supports: Level 0, Level 1, Level 5, Level 50, Level 6, Level 10, Level 60 SAS 3 (8) Storage Controller: Supports: Level 0, Level 1, Level 10, Level 5 SATA III-600 (8) Remote Management Controller:
Integrated:	Gigabit Ethernet (1 x RJ-45)
Fans Quantity:	3 x 80mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2500
Networking Form Factor:	Integrated
LAN Chipset:	Intel X722
LAN:	10G Ethernet 10 Gbps Gigabit Ethernet
Data Link Protocol Supports:	Fast Ethernet
Number of 5.25-inch External Drive Bays:	1
Number of 2.5-inch Hot-Swap Drive Bays:	16
Number of 2.5-inch Internal Drive Bays:	2
PCI Express 3.0 x16:	4
PCI Express 3.0 x8:	1
LAN:	10G Ethernet