



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-4028GR-TR2 4U, 2 x R3 (LGA 2011), 24 x 288-pin DDR4 DIMM, 24x2.5" HS HDD bays, 8 Hot-Swap 92mm cooling fans, 2x

Šifra: 84176

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 658.843 rsd.

System Type:	Server Barebone
System Form Factor:	Rack-Mountable
Supported CPUs:	Xeon Processor E5-2600v3 Series Xeon Processor E5-2600v4 Series
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Socket Standard:	Socket 2011-3
CPU Maximum Quantity Supports:	2
Chipset:	Intel C612
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800)
Memory Speed:	1866MHz(PC4-14900)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	3 TB
Memory Slot Total Quantity:	24
Memory Features:	Registered Lead Reduced Storage Controller: Supports: Level 0, Level 1, Level 5, Level 10 SATA III-600 (10) Remote Management Controller: Gigabit Ethernet (1 x RJ-45)
Integrated:	
Fans Quantity:	8 x 92mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Networking Form Factor:	Integrated
LAN Chipset:	Intel i350
LAN:	Gigabit Ethernet Gigabit EthernetFast
Data Link Protocol Supports:	EthernetEthernet
Number of 2.5-inch Hot-Swap Drive Bays:	24
PCI Express 3.0 x16:	11
PCI Express 3.0 x8:	1
LAN:	Gigabit Ethernet
USB3.0:	4 (USB 3.0 (type A))
VGA:	1 (15-pin DB)
Power Device Type:	Power Supply - redundant