



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-4028GR-TRT 4U, 2 x R3 (LGA 2011), 24 x 288-pin DDR4 DIMM, 24x2.5" HS HDD bays, 8 Hot-Swap 92mm cooling fans, 2x



STORE
UBODI PRAVO MESTO ZA TEHNIKU

Šifra: 84177

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO

Cena: 539.618 rsd.

| | |
|---|--|
| System Type: | Server Barebone |
| System Form Factor: | Rack-Mountable |
| Supported CPUs: | Xeon Processor E5-2600v3 Series Xeon Processor E5-2600v4 Series |
| Max. CPU Bus Clock Rate: | 9.6 GTsec |
| CPU Socket Standard: | Socket 2011-3 |
| CPU Maximum Quantity Supports: | 2 |
| Chipset: | Intel C612 |
| Quantity of Mainboards Supported: | 1 |
| Memory Type: | DDR4 SDRAM |
| Memory Form Factor: | DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800) 1866MHz(PC4-14900) |
| Memory Speed: | |
| Provides Error Checking Method: | ECC |
| Maximum Installable System Memory Storage Capacity: | 3 TB |
| Memory Slot Total Quantity: | 24 |
| Memory Features: | Registered Load Reduced |
| Storage Controller Form Factor: | integrated |
| Storage Controller Type: | SATA |
| RAID Controller Interface Type: | SATA III Level 0 Level 1 Level 10 Level 5 |
| Supports RAID Level: | |
| Fans Quantity: | 8 x 92mm |
| Video Controller Form Factor: | Integrated |
| Video Chipset: | Aspeed AST2400 |
| Networking Form Factor: | Integrated |
| LAN: | 10G Ethernet |
| Number of 2.5-inch Hot-Swap Drive Bays: | 24 |
| PCI Express 3.0 x16 Slot Quantity: | 8 |
| PCI Express 3.0 x8 Slot Quantity: | 2 |
| PCI Express 2.0 x4 Slot Quantity: | 1 |
| SATA III: | 4 |
| LAN: | 10G Ethernet |