



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperServer SYS-4029GP-TRT2 4U,
2xLGA 3647, TDP 70-205W, Intel C622, 24xDDR4,
24x2.5 Hot-swap, SATA3 (6Gbps); RAID 0, 1, 5,
10,

Šifra: 84179

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 748.456 rsd.

System Type:	Server Barebone
System Form Factor:	Rack-Mountable
Supported CPUs:	Xeon Scalable Processors
Max. CPU Bus Clock Rate:	10.4 GTsec
CPU Socket Standard:	Socket 3647
CPU Maximum Quantity Supports:	2
Chipset:	Intel C622
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200)
Memory Speed:	2666MHz(PC4-21300)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	3 TB
Memory Slot Total Quantity:	24
Memory Features:	Registered Storage Controller: ECC Supports: Level 0, Level 1, Level 5, Level 10 SATA III-600 (10) Remote Management Controller: Gigabit Ethernet (RJ-45) Storage Controller: PCIe NVMe (M.2)
Integrated:	
Fans Quantity:	8 x 92mm
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2500
Networking Form Factor:	Integrated
LAN:	10G Ethernet
Data Link Protocol Supports:	10 Gbps
Number of 2.5-inch Hot-Swap Drive Bays:	24
PCI Express 3.0 x16:	11
PCI Express 3.0 x8:	1
LAN:	10G Ethernet
USB 3.0:	4 (USB 3.0 (type A))
VGA:	1 (15-pin D-sub)
Serial:	1 (9-pin)
Power Device Type:	Power Supply - redundant