



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Server Barebone SUPERMICRO SuperServer SYS-6027TR-DTRF (Rack-Mountable, iC602 (S2011), Bus 8GTsec, DDR3 800MHz1066MHz1333MHz1600MHz, VGA, 3

Šifra: 84342

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



Cena: 304.040 rsd.

| | |
|---|---|
| System Type: | Server Barebone |
| System Form Factor: | Rack-Mountable |
| Supported CPUs: | Xeon Processor E5-2600 Series |
| Max. CPU Bus Clock Rate: | 8 GTsec |
| CPU Socket Standard: | Socket 2011 |
| Chipset: | Intel C602 |
| Quantity of Mainboards Supported: | 2 |
| Memory Type: | DDR3 SDRAM |
| Memory Form Factor: | DIMM 240-pin 800MHz(PC3-6400) 1066MHz(PC3-8500) 1333MHz(PC3-10600) 1600MHz(PC3-12800) |
| Memory Speed: | |
| Provides Error Checking Method: | ECC |
| Maximum Installable System Memory Storage Capacity: | 256 GB |
| Memory Slot Total Quantity: | 8 |
| Memory Features: | Registered |
| Storage Controller Form Factor: | integrated RAID SATA II |
| Storage Controller Type: | SATA III Level 0 Level 1 Level 10 |
| Supports RAID Level: | Level 5 |
| Maximum Fans Supported Quantity: | 4 count |
| Video Controller Form Factor: | Integrated |
| Video Chipset: | Matrox G200eW |
| Networking Form Factor: | Integrated |
| LAN: | Gigabit Ethernet |
| Number of 3.5-inch Hot-Swap Drive Bays: | 12 |
| PCI Express 3.0 x8 Slot Quantity: | 3 |
| LAN Interface Quantity: | 3 |
| Serial Interface Quantity: | 1 |
| USB 2.0 Interface Quantity: | 3 |
| VGA Interface Quantity: | 1 |
| Power Device Type: | Power Supply - redundant |
| Power Device Location: | Internal |