



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

## BENQ MW536 projektor

---

Šifra: 93256

Kategorija proizvoda: Projektori

Proizvođač: BENQ



**Cena: 51.935 rsd.**

### All Specifications

#### Projection System

Projection System DLP

DMD size 0.65"

#### Marketing

Main Marketing Series Business Projector

Product Features 4000lm high brightness Dual HDMI and D-sub Long lasting lamp hours

#### Display

Native Resolution WXGA (1280x800)

Native Aspect Ratio 16:10

Brightness (ANSI lumens) 4000

Contrast Ratio (FOFO) 20,000:1

Selectable Aspect Ratio 16:10,16:9,4:3,Auto,Real

Display Color 30-bit (1.07 billion colors)

Light Source Lamp

Light Source Wattage 203W

Light Source Life

a. Normal 5500 hrs,b. ECO 7000 hrs,c. SmartEco 10000 hrs,d. LampSave 15000 hrs,d. Long ECO 20000 hrs

Projection System DLP Single 0.65" WXGA

Resolution 1280 x 800 pixels

Brightness (ANSI lumens) 4000 ANSI Lumens

Contrast Ratio (FOFO) 20,000 : 1

Display Color 30 Bits/1.07 Billion Colors

Native Aspect Ratio Native 16:10

(5 aspect ratio selectable)

Light Source Lamp

Light Source life\* Normal 5,500 hr  
Economic 7,000 hr  
Smart ECO 10,000 hr  
Lamp Save 15,000 hr  
Long ECO 20,000 hr

## Optical

Throw Ratio 1.55~1.86

Zoom Ratio 1.2x

Lens F=2.42-2.62 f=22-25.79

Projection Offset (Full-Height) 106%

Keystone Adjustment 1D, Vertical  $\pm$  40 degrees

ANSI Uniformity (Min.) -45%

Clear Image Size 60"~300"

Image Size 30"~300"

Throw Ratio 1.551~1.867

Zoom Ratio 1.2X

Projection Offset\*\* 103%

## Picture

Picture Modes 3D,Bright,Infographic,Presentation,Spreadsheet,sRGB,User 1,User 2

Color Wheel Segment (Lamp) 6 segment (RGBYCW)

Color Wheel Speed 2X (60Hz)

## Compatibility

Input Lag 16 ms (4K@60Hz) \*downscaling to 1080p

Resolution Support VGA(640 x 480) to WUXGA\_RB(1920 x 1200) \*RB=Reduced blanking

Horizontal Frequency 15K~102KHz

Vertical Scan Rate 23~120KHz

HDTV Compatibility 1080i,1080p,480i,480p,576i,576p,720p

Video Compatibility NTSC,PAL,SECAM

3D Compatibility Frame Packing,Frame Sequential,Side by Side,Top Bottom

HDTV Compatibility 480i, 480p, 576i, 576p, 720p, 1080i, 1080p

Video Compatibility NTSC, PAL, SECAM, SDTV (480i/576i), EDTV (480p/576p), HDTV (720p, 1080i/p 60Hz)

## I/O Interface

PC in (D-sub 15pin) (x2)

Monitor out (D-sub 15pin) (x1)

Composite Video in (RCA) (x1)

S-Video in (Mini DIN 4pin) (x1)

HDMI in (x2),HDMI-1 (1.4a/HDCP1.2),HDMI-2 (1.4a/HDCP1.2)

USB Type A (x1)