



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

DAHUA IPC-HFW3841E-AS-0360B 8MP IR Bullet  
WizSense Network Camera

---

Šifra: 94136

Kategorija proizvoda: Kamere IP

Proizvođač: DAHUA



**Cena: 12.050 rsd.**

Audio	Mikrofon:	Ugrađen
	Podržani audio formati:	G.726, G.711a, G.711Mu Automatski balans bele, Auto gain control, BLC, HLC, Detekcija pokreta, Maksimalni domet IR 30m, WDR, 3D DNR
Dodatne funkcije	Snimanje:	
	Dimenzije:	192.7mm x 70.5mm x 66.4mm
	Masa:	590g
Fizičke karakteristike	Boja:	Bela
	RAM:	512MB
	Interna:	128MB
Memorija	Podržane memorijske kartice:	MicroSD (do 256GB)
Reklamacioni period	Reklamacioni period:	24 meseca
	Tip kamere:	IP
Senzor	Rezolucija senzora:	1.280 x 720 (HD 720p), 1.920 x 1.080 (Full HD 1080p), 2.048 x 1.536
	Veličina:	1.280 x 960 (1.3M), 3.072 x 1.728, 704 x 576 (D1), 704 x 480 (D1), 640 x 480 (VGA), 352 x 288 (CIF), 352 x 240 (CIF), 3.072 x 2.048 (6M), 3.840 x 2.160 (8MP), 2.592 x 1.944 (5M), 2.304 x 1.296 (3M), 2.688 x 1.520 (4M)
	Rezolucija videa:	
	Frame rate:	D1(1 ~ 2530fps), 1~2530fps (8M1080p), 1~20fps (8M)
Snimanje videa	Podržani video formati:	H.264, H.264B, H.264H, H.265, MJPEG
	Fokusna daljina:	802.1x, Video encryption, 2.8mm~3.6mm
Sočivo	Fokusni koeficijent:	F1.4, configuration encryption, Digest, WSSE, account lockout, security logs, generation and importing of X.509 certification, HTTPS, trusted boot, trusted execution, trusted upgrade, IP67, Firmware encryption, IPMAC filtering, Syslog
	Ostalo:	
Zaštita		
	Protok žične mreže:	10/100Mbps Base-T, IPv4, ARP, TCP, UDP, ICMP, RTSP, RTP, RTCP, IPv6, HTTP, FTP, NTP, SMTP, DNS, DDNS, PPPOE, DHCP, UPnP, IGMP, SNMP, QoS, Multicast, NFS, SFTP, RTMP, SAMBA
Žična mreža	Protokoli:	